

CN 200N1

耦合网络，用于低频传导抗扰度测试



符合下列标准 ...

- > AIRBUS
- > Chrysler CS-11809 (2009)
- > DaimlerChrysler DC-10615
- > DO 160 Section 16
- > DO 160 Section 18
- > Ford EMC-CS-2009.1
- > Ford FMC1278
- > GLloyd VI-7-2
- > ISO 11452-10
- > EMC-CS-2010JLR V1.1 (2011-01)
- > MIL STD 461 D CS 101
- > MIL STD 461 D CS 109
- > MIL STD 461 E CS 101
- > MIL STD 461 E CS 109
- > MIL STD 461 F CS 101
- > MIL STD 461 F CS 109
- > MIL STD 461 G CS 101
- > MIL STD 461 G CS 109
- > MIL-STD-704
- > Mitsubishi ES-X82115
- > SAE J1113-2
- > Tata TST/TS/WI/257

CN 200N1 - SINGLE-BOX TRANSFORMER ASSEMBLY FOR LF CONDUCTED IMMUNITY TESTING

The CN 200N1 is a standalone coupling network unifying two audio transformers being individually configurable for various test requirements (e.g. Ford FMC1278, German Lloyd GL VI-7-2 and SAE J1113-2). The CN 200N1 is used to apply the test signals to the lines under test via an audio transformer to perform ripple voltage tests and continuous or transient conducted immunity tests.

HIGHLIGHTS

- > One-box transformer and 0.5 ohm load assembly
- > Frequency response 10 Hz to 250 kHz
- > Secondary saturation 50 A per transformer
- > Audio power 2 x 200 W
- > Freely configurable on primary/secondary; serial, parallel, single
- > Turns ratio 2:1 step down
- > Built-in non-inductive load resistor 0.5 ohm, 250 W

应用领域



汽车



军用



航空

技术细节

CHARACTERISTICS AUDIO ISOLATION TRANSFORMERS

Frequency response	10 Hz - 250 kHz
Audio power	200 W
Secondary saturation	Max. 50 A AC or DC
Turns ratio	2:1 step down

TRANSFORMER CONFIGURATION

Primary configuration	Single, series or parallel connection
Secondary configuration	Single or parallel (with 0.5 ohm, 250 W load)


CONNECTORS

Primary connectors	4 mm safety lab connectors
Secondary connectors	High current safety connectors

GENERAL DATA

Dimensions	19", 3 HU (395 mm x 449 mm x 133 mm)
Weight	Approx. 24 kg
Cooling	passive cooling
Temperature	10°C - 40°C
Rel. humidity	Max. 85%, non-condensing

实力无处不在



直接联系 EM TEST

瑞士

EM TEST (Switzerland) GmbH > Sternenhofstra e 15 > 4153 Reinach >
Switzerland
电话 +41 (0)61/7179191 > 传真 +41 (0)61/7179199
Internet: www.emtest.ch > 电子邮件: sales.emtest@ametek.com

德国

AMETEK CTS Germany GmbH > Lünener Stra e 211 > 59174 Kamen >
Deutschland
电话 +49 (0)2307/26070-0 > 传真 +49 (0)2307/17050
Internet: www.emtest.com > 电子邮件: info.cts@ametek.de

法国

EM TEST FRANCE > Le Trident - Parc des Collines > Immeuble B1 - Etage 3 >
36, rue Paul Cézanne > 68200 Mulhouse > France
电话 +33 (0)389 31 23 50 > 传真 +33 (0)389 31 23 55
Internet: www.emtest.fr > 电子邮件: info@emtest.fr

波兰

EM TEST Polska > ul. Ogrodowa 31/35, 00-893 Warszawa > Polska
电话 +48 (0)518 64 35 12
Internet: www.emtest.com/pl > 电子邮件: infopolska.emtest@ametek.com

美国 / 加拿大

AMETEK Compliance Test Solutions > 52 Mayfield Ave. > Edison > NJ 08837
电话 +1 (732) 417-0501
Internet: www.emtest.com > 电子邮件: sales.emtest@ametek.com

中国

E & S Test Technology Limited > Rm 913, Leftbank >
No. 68 Bei Si Huan Xi Lu > Haidian District > Beijing 100080 > P.R. China
电话 +86 (0)10 82 67 60 27 > 传真 +86 (0)10 82 67 62 38
Internet: www.emtest.com > 电子邮件: info@emtest.com.cn

Р е с п у б л и к а К о р е я

EM TEST Korea Limited > #405 > WooYeon Plaza > #986-8 > YoungDeok-dong >
Giheung-gu > Yongin-si > Gyeonggi-do > Korea
电话 +82 (31) 216 8616 > 传真 +82 (31) 216 8616
Internet: www.emtest.co.kr > 电子邮件: sales@emtest.co.kr

供货范围、外观设计、技术指标等信息，均于刊印时有效，技术数据如有变化，恕不另行通知。